




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : <b>H04Q 7/00</b>		<b>A2</b>	(11) International Publication Number: <b>WO 00/69183</b>
			(43) International Publication Date: 16 November 2000 (16.11.00)
(21) International Application Number: <b>PCT/FI00/00416</b>		(81) Designated States: AE, AG, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, DZ, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: <b>9 May 2000 (09.05.00)</b>			
(30) Priority Data: <b>991089</b> <b>11 May 1999 (11.05.99)</b> <b>FI</b>			
(71) Applicant: <b>NOKIA MOBILE PHONES LTD. [FI/FI];</b> <b>Keilalahdentie 4, FIN-02150 Espoo (FI).</b>			
(72) Inventors: <b>VILPPULA, Matti; Koivutie 16 B 6, FIN-33960 Pirkkala (FI). TERVO, Vesa; Kuusimäenkatu 14, FIN-33560 Tampere (FI).</b>			
(74) Agent: <b>WALKER, Andrew; Nokia Corporation, P.O. Box 319, FIN-00045 Nokia Group (FI).</b>		<p><b>Published</b> Without international search report and to be republished upon receipt of that report.</p>	

(54) Title: STORAGE MEDIA



## (57) Abstract

A smart card (24) for a mobile communications terminal (10) contains a plurality of application programs (60-68) providing various services. A number of different profiles are configured so that certain of the applications are accessible in certain of the profiles. The smart card is changed from one profile to another by changing application identification and selection data in a directory (70) of the applications.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LJ	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## STORAGE MEDIA

This invention relates to storage media and is particularly, but not exclusively, related to storage media used in communications devices and communications devices including such storage media. In one embodiment, it relates to storage media used in mobile communications devices such as mobile telephones.

Mobile communications devices often contain smart cards. The smart cards are used to carry out particular processing tasks. Smart cards usually have memory means and processor means. The memory means often carries personal and/or secret data which can, for example, identify a particular user or enable access to services, data and otherwise secure locations. Smart cards are particularly suited to holding information securely because the information is stored in hardware. Hardware is more tamper-resistant than software.

A smart card and a device which is used to read it, for example a communications device, communicate by means of Application Protocol Data Units (APDUs). Commands sent to a smart card are sent in the form of a Command-APDUs (or C-APDUs) which may activate a response from a card. APDUs are defined in the relevant smart cards standards such as those issued by ISO/IEC. Command-APDUs are used in obtaining information from smart cards.

Generally smart cards can be removed from the devices in which they are used. An example of a smart card is a Subscriber Identity Module (SIM) card which is currently used in mobile telephones. Other types of SIM cards have been proposed, for example for third generation systems, such as the Universal Mobile Telephone System (UMTS). Such third generation SIM cards are referred to as USIMs.

Modern communications devices, particularly mobile communications devices, are increasingly being used for a diverse range of activities in addition to conventional telephony. These activities include information gathering, particularly from the

Internet, conducting transactions, such as the purchase of goods and/or services or using a banking service. Mobile and static communications devices exist which are not used for voice telephony but are primarily used for various types of data communication or exchange.

5

As communications devices are being used for a more diverse range of services, they need a variety of application programs to provide and interact with these services. Conveniently, application programs are stored on a storage medium in the communications devices, for example SIMs.

10

Since the services provided by the application programs are valuable it is desirable to restrict access so that they can only be accessed by authorised users. Access is usually restricted by means of a personal identification number code, a so-called PIN code, which needs to be input into the terminal to allow access to the relevant application program.

15

It has been proposed to provide a plurality of application programs for a communications terminal on the same storage medium and provide a separate PIN for each application program. A disadvantage of this approach is that a user of the plurality of application programs needs to remember or record a plurality of PIN codes.

20

WO 98/32098 proposes storing a number of different application programs on a SIM card for a communications terminal. It further proposes that a user in possession of several SIM cards can switch between them to use different applications in the communications terminal. Not only is it inconvenient for a user to carry around a number of SIM cards, but it is also inconvenient to exchange one for another in the communications terminal, especially since each will probably have associated with it its own PIN code. In can be difficult for a user to remember which PIN code corresponds to which SIM card.

25

30

According to a first aspect of the invention there is provided a storage medium containing a plurality of application programs the application programs being grouped into a plurality of application program groups group. selection means being provided to determine the application program groups to which a user has  
5 access.

The user may have access only to a single application program group. The user may have access to more than one application program group.

10 An advantage of the invention is that a user of the storage medium is able to select a plurality of application programs by using one application selection procedure, for example one card holder verification, and so needs fewer access codes, and possibly only one. Furthermore, it avoids the need to provide separate storage media to enable a user to obtain access to separate application program  
15 groups.

Preferably the selection means is an application program. Preferably the selection means enables a user to have access to the application programs of at least one particular application program group and not to the applications of at least one  
20 other particular application program group. However, certain users or certain classes of users may have access to all of the application program groups. In this way certain application programs, such as those allowing use of e-money, can be hidden from users not having access to them and also simply not be selectable by a user, for example via a user interface.

25 Preferably the application program groups have a degree of overlap with at least one particular application program being contained in more than one application program group.

30 Preferably the storage medium is insertable into and removable from a communications terminal. Preferably the storage medium is a smart card. It may be a SIM card.

If the application is applied to a SIM card, there is no need to change its communication protocol by adding new C-APDU commands. All that is required is simply to include the selection means.

5

Preferably the storage medium contains a directory which is up-dated when a user selects a particular application program group. Preferably it is up-dated to contain identifiers of application programs in the most recently selected application program group.

10

According to a second aspect of the invention there is provided an application program for selecting between a plurality of application program groups.

According to a third aspect of the invention there is provided a communications terminal comprising a storage medium, the storage medium containing a plurality of application programs the application programs being grouped into a plurality of application program groups group selection means being provided to determine the application program groups to which a user has access.

20 Preferably the communications terminal is mobile. Most preferably it comprises a mobile telephone.

According to a fourth aspect of the invention there is provided a method of selecting an application program group from a storage medium containing a plurality of application programs comprising the steps of:

25 grouping the application programs into a plurality of application program groups;  
providing group selection means to determine the application program groups to which a user has access;  
carrying out a verification procedure to confirm access to at least one of the  
30 application program groups; and  
allowing the user access to at least one of the application program groups.

At least one application program group may contain only one application program.

According to a fifth aspect of the invention there is provided a storage medium containing:

- 5    at least one application program;  
    a file structure having a plurality of data files at least some of the data files containing data for use in operation of the application program; and  
    selection means to determine the data files which are used by the application program,
- 10   in which the selection means is responsive to access information which is provided by a user and determines the data files which the application program uses on the basis of the access information.

Preferably the data files are elementary files.

15

- According to a sixth aspect of the invention there is provided a method of selecting data files stored on a storage medium, the method comprising the steps of:
- storing a file structure having a plurality of data files on the storage medium at least some of the data files containing data to be used in operation of an
  - 20   application program;
  - providing selection means to determine the data files which are to be used by the application program;
  - receiving access information from a user;
  - using the selection means to determine the data files which the application
  - 25   program is able to use on the basis of the access information.

Preferably the method also comprises the step of storing the application program on the storage medium.

- 30   Preferably the method also comprises the step of storing the selection means on the storage medium.

According to a seventh aspect of the invention there is provided a data transmission device having a storage medium, the storage medium containing:  
at least one application program which is run by the data transmission device to carry out application tasks;

- 5 a file structure having a plurality of data files at least some of the data files containing data for use in operation of the application program; and  
selection means to determine the data files which are useable in operation of the data transmission device,  
in which the selection means is responsive to access information which is provided  
10 by a user and determines the data files which are useable in operation of the data transmission device on the basis of the access information.

According to an eighth aspect of the invention there is provided a method of selecting data files stored on a storage medium, the method comprising the steps  
15 of:

- storing a file structure having a plurality of data files on the storage medium at least some of the data files containing data to be used in operation of an application program to carry out application tasks;  
providing selection means to determine the data files which are to be involved in  
20 use of the storage medium;  
receiving access information from a user;  
using the selection means to determine the data files which are to be used by the storage medium on the basis of the access information.

- 25 The application program may be able to carry out different functions depending on the data files to which it has access. The accessible data files may enable it to provide telephony or data transfer services, for example GSM, UMTS and/or WAP services. The functions may not be restricted to one particular type of service, for example telephony or data transfer, but may include other services related to e-  
30 money or e-commerce.



In this way, an apparent file structure of data files which is presented as a result of a user providing first access information may be different to another apparent file structure of data files which is presented as a result of a user providing second access information. In this way, the file structure of data files which are accessible to an application program is modified to present different data files depending on the access information which the user provides.

In one embodiment of this aspect, there may be a plurality of application programs contained in the storage medium which use at least some data files in common. In this case, the access information may change the data files which are accessible to at least one of the application programs. This may involve reducing the number of data files to which the application program has access or determining that the application program has access to one particular data file of a certain type rather than another particular data file of that certain type.

The invention makes it possible to hide application programs so they are not visible to the user. If the storage medium is a SIM card this allows the provision of a plurality of application programs to provide services, only one or some of which are subscribed to by the user. If the user at a later time subscribes to another service, he can be provided with access to it, for example by a service provider giving the user a suitable password allowing access to a suitable profile.

Another situation in which the invention could be applied is if the user has different profiles for different kinds of use. For example, the user may have a profile which is used for work related matters and a profile which is used for private related matters. If the application programs relate to services for which payment is made, this provides a straightforward billing arrangement.

An embodiment of the invention will now be described by way of example only with reference to the accompanying drawings in which:

Figure 1 shows a communication device;

Figure 2 shows parts of the device of Figure 1 in greater detail;

Figure 3 shows a complete file structure;

Figure 4 shows a selected file structure; and

Figure 5 shows a procedure for selecting a particular file structure.

- 5 Figure 1 shows a mobile terminal 10 comprising a mobile telephone. The mobile terminal 10 comprises a display 12, transmission and receiving means 14 for transmitting and receiving radio signals, a digital signal processor (DSP) 16 for processing data and voice into and from the radio signals, a user input device such as a keypad or keyboard 18, a central processing unit (CPU) 20, the  
10 operation of which is controlled by an operating system program and memory means 22 for storing data and software to enable the device to operate. The memory means is used by the DSP 16 and the CPU 20. The mobile terminal also comprises a removable smart card such as a SIM card 24. The SIM card 24 contains a number of selectable application programs which enable the mobile  
15 terminal to use a number of services including, but not limited to, telecommunications applications. The SIM card 24 and the applications present on it will be described in more detail in the following.

If the terminal is available for use by a number of users, it may be desirable to  
20 provide different users with different levels of access, that is, for users to be able to access one, some or all of the services provided by the application programs. In this example, it may be desirable to prevent some users having access to an electronic money application program and to certain levels of communication application programs such as telecommunications services.

25

Figure 2 shows parts of the terminal of Figure 1 in greater detail. Contained within the mobile terminal 10 are software and interfaces for controlling the terminal so as to obtain access to relevant services. These are shown collectively by the numeral 26. They are in the mobile terminal 10 itself rather than on the SIM card  
30 24. Since the SIM card 24 needs to be used in the operation of the mobile terminal 10, for example to provide data and to perform calculations and verifications, the software and interfaces 26 and the SIM card 24 are connected by a logical

connection 28. Figure 2 shows information exchange between corresponding functional blocks, for example application interfaces and the applications themselves. The software and interfaces 26 communicate over a suitable protocol such as T1.

5

Included within the software and interfaces 26 are cellular software programs 30, 32, 34 and 36 which receive input from a user of the mobile terminal 10, interact with the SIM card 24 and control communication with telecommunications and other networks. The cellular software programs 30, 32, 34 and 36 communicate with corresponding applications on the SIM card 24 via application program interfaces (APIs) 38, 40, 42 and 44. For example co-operation between the cellular software programs and their corresponding applications could enable the user to have access to a telecommunications network providing Universal Mobile Telecommunications System (UMTS) services, GSM services or WAP services.

10

15 The terminal could include other programs to provide other services such as electronic money.

Provided among the software and interfaces 26 is software 46 and an application program interface 48 to enable the user to use a profile selection application (PSA) 20 60 which is located on the SIM card 24. The PSA will be described in the following:

20

The programs used to provide GSM and WAP services, for example programs 32 and 36, may have access to an electronic money application on the SIM card 24 via an electronic money program and an application program interface 34 and 42 25 respectively. The electronic money application interface 42 is connected via an HTTP protocol stack 50 in an external computer 52 to the Internet 54. In other embodiments of the invention the mobile terminal may comprise a combined computer and mobile telephone which is able to communicate to the Internet directly.

25

30

WAP services could be presented to the user in the form of a browser so that the user can readily obtain content from Internet servers and elsewhere.

As shown in Figure 2 conventional telephony can occur via a telecommunications network 56.

- 5 The SIM card 24 contains a file structure in which a master file 58 contains a number of applications, the PSA 60 referred to above, telecommunications applications such as UMTS 62, GSM 64 and WAP 68 and an electronic money application 66. The cellular software programs use the applications to perform the various services provided by the mobile terminal 10, for example registering with  
10 the network, setting up a call, carrying out encryption and conducting financial transactions. There is also a directory file 70 which is described below.

The file structure present in the SIM card 24 is shown in greater detail in Figure 3. This comprises the master file 58 containing the applications. The applications  
15 comprise a number of dedicated files and elementary files. A dedicated (DF) file is a file which contains control information and, optionally, memory available for allocation. It may be the parent of elementary files and other dedicated files. An elementary file (EF) is a set a data units or records which share the same file identifier. It cannot be a parent of another file. In the Figure EFs are shown as  
20 single boxes and DFs are shown as double boxes. For the sake of simplicity the complete set of EFs and DFs are not shown for certain applications and other applications have no internal file structure present at all, although one will almost certainly be present.

- 25 The master file 58 is a unique dedicated file representing the root of the file structure. Associated with the master file 58 is an EF referred to as a directory file (DIR) 70. The DIR 70 contains a list of applications supported by the SIM card 24 and optional related data elements for application identification. These include the application identifier (AID), the application label, the path to a file, commands to  
30 perform (defined and described in ISO/IEC standards), discretionary data and the application template. The data elements are coded by abstract syntax notation 1 (ASN.1) which is described and defined in ISO standards. The DIR and its

contents are defined and described in ISO/IEC standards. The DIR 70 is used by the master file 58 to enable the mobile terminal to use the applications in the SIM card 24. The mobile terminal needs to use the ASN.1 coded information in the DIR 70 to obtain access to the applications.

5

As mentioned above, the PSA 60 is used to control access to the applications on the SIM card 24. The PSA 60 is a DF containing a number of EFs 72, 74, 76 and 78 relating to separate application profiles. A profile is a defined set of application programs which are available for use by the mobile terminal 10 or its user. A profile may comprise a single application program, or some or all of the application programs available on the SIM card 24. If a profile is successfully accessed all of the application programs within it may be accessed.

10

15

Each of the EFs within the PSA 60 relates to a separate profile and comprises a card holder verification (CHV) routine which needs to be successfully completed before access to the applications within the profile is allowed.

A number of different profile configurations are possible. The following table sets out a number of such configurations:

20

Profile number	1	2	3	4	5	6	7	8
GSM	x			X				x
WAP	x			X		x	x	x
e-money	x					x		x
UMTS1	x					x		x
UMTS2		x			x			x
PSA	x	x	x	X	x	x	x	x
Last selected application flag		x						
Profile modification allowed								x

Profiles 1 to 7 are user profiles permitting a user access to particular application programs. Several points should be noted about this table. The first point is that all

the profiles contain the PSA 60. The second point is that profile 8 allows access to all applications and also is able to modify the profiles. Someone having access to profile 8 can change the applications to which the other profiles have access. For example, profile 6 could be modified to also allow access to the GSM application.

- 5 Profile 8 may be a profile accessible by a service provider or the owner of or entity responsible for the mobile terminal 10. The third point is that there is a flag indicating which was the most recently selected profile.

- 10 As is described above, access to the application is determined through the list of applications supported by the SIM card 24 and data elements for application identification and selection. The SIM card 24 controls the contents of the DIR 70 to correspond with the applications which are accessible in a particular profile. For example, if profile 2 has been selected, the DIR file will only contain the AIDs for UMTS2 and PSA, and if profile 6 is selected, the DIR file will only contain the AIDs
- 15 for WAP, e-money, UMTS1 and PSA. The effect of this is presented schematically in Figure 4. If Figures 3 and 4 are compared it can be seen that some of the applications seem to have disappeared. This is because relevant data elements for their identification and selection have been made inaccessible in the DIR 70. This would be, for example, the AIDs of the "disappeared" applications. The
- 20 underlying file structure has not been modified, it is just that certain parts of it are now no longer accessible through the DIR 70. As a consequence, certain application programs can be hidden and not be available to the user or to the mobile terminal 24.

- 25 In the file structure of Figure 3, certain of the EFs may be suitable for use by more than one application. This may be the case for telephone applications. For example, this could be an EF containing a telephone directory or containing an IMSI. In order for these to be common EFs, they need to be made available to a DF of another application. They can be accessed by another DF by providing links
- 30 or shortcuts in the smart card's operating system.

It will be appreciated that as profiles are changed, the DIR 70 needs to be updated with new information, for example data elements for application identification and selection, which have previously been removed from that part of the DIR 70 which can be read by the mobile terminal 10. Therefore a memory location is provided on the SIM card 24 which has the relevant data for all of the applications on the SIM card 24. This can be an additional EF associated with and only accessible from the DIR 70. When CHV is successfully completed for a profile, the DIR 70 is updated with data so as to make available all of the applications in that profile.

10 In one embodiment of the invention, a mobile terminal is to be used by a number of different users. Each of the users has a PIN code which allows access to a particular profile but not to other profiles. When the mobile terminal is switched on, it requests a PIN code and the user inputs his own PIN code. If the PSA is not visible to the user, the SIM card 24 identifies the profile to which the PIN code  
15 applies and carries out a card holder verification procedure. Once this is complete, the user is allowed access to the appropriate profile. It should be noted that the user interface appears to be normal and the user is not necessarily aware that profile selection has occurred or can occur. In an alternative embodiment, the PSA can be accessed by the user through a selection menu in the display 12 and  
20 profile selection can be a step which the user knowingly carries out. Of course, the user can only change the profile selection if he knows the correct PIN codes.

Steps involved in the selection of a particular profile are described with reference to Figure 5. This shows the actions taken by, and the messages sent between, the  
25 user, the SIM card 24 and the network.

The mobile terminal is switched on and it selects the PSA 60 from the SIM card 24 in accordance with ISO/IEC 7816-5. Once selection of the PSA 60 has occurred, the user enters a PIN code and CHV is carried out by the mobile terminal 10 in  
30 accordance with ISO/IEC 7816-4. Once CHV has been carried out successfully and the PSA is selected and usable by the user, the user can select a particular profile. It is irrelevant whether the user knowingly or unknowingly selects a

particular profile since the transactions carried out between the mobile terminal and the SIM card are still the same. However, for the purposes of this part of the description it is assumed that the user knowingly selects a particular profile.

- 5 Having obtained access to the PSA 60, the user selects a particular profile, typically from a menu, which causes the mobile terminal to select the appropriate new profile. Although in this embodiment of the invention, the user is then able to have access to the application programs within a particular profile, in another embodiment, further CHV procedures are required to obtain final access to each  
10 application program individually.

In one embodiment, the mobile terminal transmits an identifier of the new profile to the network for synchronisation purposes between the mobile terminal and the network. In this embodiment, the network signals back to indicate whether the  
15 profile selection is allowed and correct.

The mobile terminal selects the appropriate profile EF thus completing the mobile selection procedure.

- 20 To put the applications into use, the mobile terminal terminates its connection to the network, and resets the SIM card. The SIM card responds with an answer to reset (ATR) and then the mobile terminal re-establishes its connection with the network.
- 25 When a new profile is selected, the DIR 70 is up-dated so that it only shows the AIDs corresponding to those application programs of the selected profile. It is not necessary to modify the existing SIM interface of the mobile terminal.

In an alternative embodiment there can be a common profile selection EF where  
30 desired user profile number is written. This method does not enable different CHV for profile selection and configuration. This embodiment can be arranged by having new C-APDU definitions.



Configuration of the profiles and access to them may be editable by the SIM card 24 supplier, its owner or an entity otherwise responsible for the SIM card 24, such as a service provider. This allows an entity other than the user to add or remove  
5 application programs to and from the profiles. Such an editable feature may be accessible through a CHV other than that of the user.

In the preceding description, the communications terminal is a mobile terminal. However, in other embodiments it could be a stationary communication device  
10 such as a terminal in a network. Of course, in such a use the invention may be embodied in a smart card (or smart device) other than a SIM card.

Of course, the skilled person will understand that the invention can be applied to devices other than communication devices.  
15

It should be understood that although the invention has been defined and described in terms of apparatus, it can equally be considered to be a method.

While preferred embodiments of the invention have been shown and described, it  
20 will be understood that such embodiments are described by way of example only. Numerous variations, changes and substitutions will occur to those skilled in the art without departing from the scope of the present invention. In one embodiment, application selection occurs other than through a directory file (DIR). Direct application selection may be performed by the use of the SELECT FILE command  
25 in which the AID is specified as the dedicated file name. If direct selection is provided, then the mobile terminal may explicitly select an application to be performed without previously checking that the relevant application is present on the SIM card 24. If it is not present, the SIM card will reject the command. If it is present, the SIM card will execute the command. If direct selection is used, the file  
30 address is built into the mobile terminal. Accordingly, it is intended that the following claims cover all such variations as fall within the spirit and scope of the invention.

## Claims

1. A storage medium containing a plurality of application programs the application programs being grouped into a plurality of application program groups group selection means being provided to determine the application program groups to which a user has access.
2. A storage medium according to claim 1 in which the selection means is an application program
3. A storage medium according to claim 1 or claim 2 in which the selection means enables a user to have access to the application programs of at least one particular application program group and not to the applications of at least one other particular application program group.
4. A storage medium according to any of claims 1 to 3 in which certain users or certain classes of users may have access to all of the application program groups.
5. A storage medium according to any preceding claim in which the application program groups have a degree of overlap with at least one particular application program being contained in more than one application program group.
6. A storage medium according to any preceding claim in which the storage medium is insertable into and removable from a communications terminal.
7. A storage medium according to any preceding claim in which the storage medium is a smart card.
8. A storage medium according to any preceding claim which is a subscriber identity module.

9. A storage medium according to any preceding claim in which the storage medium comprises a directory which is up-dated when a user selects a particular application program group.

5

10. A storage medium according to claim 9 in which the directory is up-dated to contain identifiers of application programs in the most recently selected application program group.

10 11. An application program for selecting between a plurality of application program groups of application programs.

12. A communications terminal comprising a storage medium, the storage medium containing a plurality of application programs the application programs being  
15 grouped into a plurality of application program groups group selection means being provided to determine the application program groups to which a user has access.

13. A communications terminal according to claim 12 in which the communications  
20 terminal is mobile.

14. A communications terminal according to claim 13 which comprises a cellular telephone.

25 15. A method of selecting an application program group from a storage medium containing a plurality of application programs comprising the steps of:  
grouping the application programs into a plurality of application program groups;  
providing group selection means to determine the application program groups  
30 to which a user has access;  
carrying out a verification procedure to confirm access to at least one of the

application program groups; and  
allowing the user access to at least one of the application program groups.

1/5




Fig. 1





Fig. 2



**Fig. 3**





5/5




Fig. 5



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
16 November 2000 (16.11.2000)

PCT

(10) International Publication Number  
**WO 00/69183 A3**

(51) International Patent Classification<sup>7</sup>: **G07F 7/10, G06K 19/07 // H04Q 7/32**

(21) International Application Number: **PCT/FI00/00416**

(22) International Filing Date: **9 May 2000 (09.05.2000)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:  
991089 • 11 May 1999 (11.05.1999) **FI**

(71) Applicant: **NOKIA MOBILE PHONES LTD. [FI/FI];**  
Keilalahdentie 4, FIN-02150 Espoo (FI).

(72) Inventors: **VILPPULA, Matti;** Koivutie 16 B 6, FIN-33960 Pirkkala (FI). **TERVO, Vesa;** Kuusimäenkatu 14, FIN-33560 Tampere (FI).

(74) Agent: **WALKER, Andrew;** Nokia Corporation, P.O. Box 319, FIN-00045 Nokia Group (FI).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

[Continued on next page]

(54) Title: **STORAGE MEDIA**



(57) Abstract: A smart card (24) for a mobile communications terminal (10) contains a plurality of application programs (60-68) providing various services. A number of different profiles are configured so that certain of the applications are accessible in certain of the profiles. The smart card is changed from one profile to another by changing application identification and selection data in a directory (70) of the applications.

WO 00/69183 A3



(88) Date of publication of the international search report:  
18 January 2001

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 00/00416

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: G07F 7/10, G06K 19/07 // H04Q 7/32

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: G06F, G06K, G07F, H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

IEEE, INSPEC

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 9852153 A2 (MONDEX INTERNATIONAL LIMITED), 19 November 1998 (19.11.98), page 11, line 16 - page 12, line 15, figure 4  --	1-15
X	WO 9852159 A2 (MONDEX INTERNATIONAL LIMITED), 19 November 1998 (19.11.98), page 17, line 1 - page 18, line 3; page 23, line 5 - line 15; page 27, line 9 - page 28, line 21, figures 7A-7C  --	1-15
A	WO 9852158 A2 (MONDEX INTERNATIONAL LIMITED), 19 November 1998 (19.11.98), claim 1, abstract  --	5

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

26 October 2000

Date of mailing of the international search report

14.11.2000

Name and mailing address of the International Searching Authority  
European Patent Office P.B. 5818 Patentlaan 2  
NL-2280 HV Rijswijk  
Tel(+31-70)340-2040, Tx 31 651 epo nl,  
Fax(+31-70)340-3016

Authorized officer

Peter Göransson / JA A  
Telephone No.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 00/00416

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 9852160 A2 (MONDEX INTERNATIONAL LIMITED), 19 November 1998 (19.11.98), page 8, line 11 - page 9, line 11; page 13, line 8 - line 12, figure 4  --	9,10
A	WO 9843212 A1 (INTERNATIONAL SERVICE ASSOCIATION), 1 October 1998 (01.10.98), page 4, line 2 - page 5, line 28  --	1-15
P,X	WO 9938131 A1 (MONEX INTERNATIONAL LIMITED), 29 July 1999 (29.07.99), page 25, line 4 - page 27, line 14; page 35, line 1 - page 36, line 3; page 45, line 9 - page 46, line 21  -- -----	1-15

INTERNATIONAL SEARCH REPORT  
Information on patent family members

03/10/00

International application No.  
PCT/FI 00/00416

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9852153 A2	19/11/98	AU 6299698 A	09/09/98
		AU 7776798 A	08/12/98
		AU 7776898 A	08/12/98
		AU 7776998 A	08/12/98
		AU 7777098 A	08/12/98
		AU 7777198 A	08/12/98
		AU 7777298 A	08/12/98
		AU 7777398 A	08/12/98
		AU 7777498 A	08/12/98
		EP 0963580 A	15/12/99
		EP 0976114 A	02/02/00
		EP 0981805 A	01/03/00
		EP 0981807 A	01/03/00
		EP 0985202 A	15/03/00
		EP 0985203 A	15/03/00
		EP 0985204 A	15/03/00
		WO 9837526 A	27/08/98
		WO 9852152 A	19/11/98
		WO 9852158 A	19/11/98
		WO 9852159 A	19/11/98
		WO 9852160 A	19/11/98
		WO 9852161 A	19/11/98
		WO 9852162 A	19/11/98
		WO 9852163 A	19/11/98
		EP 0938050 A	25/08/99
		EP 0938051 A	25/08/99
		EP 0944007 A	22/09/99
		JP 2000003274 A	07/01/00
		JP 2000040084 A	08/02/00
		JP 2000048016 A	18/02/00

## INTERNATIONAL SEARCH REPORT

Information on patent family members

03/10/00

International application No.

PCT/FI 00/00416

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
WO	9852159	A2	19/11/98	AU	6299698 A	09/09/98
				AU	7776798 A	08/12/98
				AU	7776898 A	08/12/98
				AU	7776998 A	08/12/98
				AU	7777098 A	08/12/98
				AU	7777198 A	08/12/98
				AU	7777298 A	08/12/98
				AU	7777398 A	08/12/98
				AU	7777498 A	08/12/98
				EP	0963580 A	15/12/99
				EP	0976114 A	02/02/00
				EP	0981805 A	01/03/00
				EP	0981807 A	01/03/00
				EP	0985202 A	15/03/00
				EP	0985203 A	15/03/00
				EP	0985204 A	15/03/00
				WO	9837526 A	27/08/98
				WO	9852152 A	19/11/98
				WO	9852153 A	19/11/98
				WO	9852158 A	19/11/98
				WO	9852160 A	19/11/98
				WO	9852161 A	19/11/98
				WO	9852162 A	19/11/98
				WO	9852163 A	19/11/98
-----						
WO	9852158	A2	19/11/98	AU	6299698 A	09/09/98
				AU	7776798 A	08/12/98
				AU	7776898 A	08/12/98
				AU	7776998 A	08/12/98
				AU	7777098 A	08/12/98
				AU	7777198 A	08/12/98
				AU	7777298 A	08/12/98
				AU	7777398 A	08/12/98
				AU	7777498 A	08/12/98
				EP	0963580 A	15/12/99
				EP	0976114 A	02/02/00
				EP	0981805 A	01/03/00
				EP	0981807 A	01/03/00
				EP	0985202 A	15/03/00
				EP	0985203 A	15/03/00
				EP	0985204 A	15/03/00
				WO	9837526 A	27/08/98
				WO	9852152 A	19/11/98
				WO	9852153 A	19/11/98
				WO	9852159 A	19/11/98
				WO	9852160 A	19/11/98
				WO	9852161 A	19/11/98
				WO	9852162 A	19/11/98
				WO	9852163 A	19/11/98
-----						



## INTERNATIONAL SEARCH REPORT

Information on patent family members

03/10/00

International application No.

PCT/FI 00/00416

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
WO	9852160	A2	19/11/98	AU	6299698 A	09/09/98
				AU	7776798 A	08/12/98
				AU	7776898 A	08/12/98
				AU	7776998 A	08/12/98
				AU	7777098 A	08/12/98
				AU	7777198 A	08/12/98
				AU	7777298 A	08/12/98
				AU	7777398 A	08/12/98
				AU	7777498 A	08/12/98
				EP	0963580 A	15/12/99
				EP	0976114 A	02/02/00
				EP	0981805 A	01/03/00
				EP	0981807 A	01/03/00
				EP	0985202 A	15/03/00
				EP	0985203 A	15/03/00
				EP	0985204 A	15/03/00
				WO	9837526 A	27/08/98
				WO	9852152 A	19/11/98
				WO	9852153 A	19/11/98
				WO	9852158 A	19/11/98
				WO	9852159 A	19/11/98
				WO	9852161 A	19/11/98
				WO	9852162 A	19/11/98
				WO	9852163 A	19/11/98
WO	9843212	A1	01/10/98	AU	6578698 A	20/10/98
				EP	1004992 A	31/05/00
				EP	1021801 A	26/07/00
				US	6005942 A	21/12/99
WO	9938131	A1	29/07/99	AU	2069199 A	09/08/99
				US	5935754 A	10/08/99

THIS PAGE BLANK (USPTO)

Handwritten text, likely a signature or date, oriented vertically at the bottom right of the page.